

Package: excel2eprime (via r-universe)

August 30, 2024

Type Package

Title Split Sentences by Factors

Version 0.4.0

Author Jack Will

Maintainer Jack Will <wujackwill@outlook.com>

Description Split experiment sentences by different experiment design given by the user and the result can be used in 'E-prime' (<<https://pstnet.com/products/e-prime/>>).

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports dplyr, magrittr, readxl, stringr, tidyr

RoxygenNote 7.2.3

URL <https://github.com/wujackwill/excel2eprime>

Repository <https://wujackwill.r-universe.dev>

RemoteUrl <https://github.com/wujackwill/excel2eprime>

RemoteRef HEAD

RemoteSha 22ae3fc3a5848a616293e4c1dba1e381cf23fc4e

Contents

| | |
|--------------------------------|---|
| excel2eprime_example | 2 |
| split_12 | 2 |
| split_22 | 3 |
| split_222 | 3 |
| split_basic | 4 |

| | |
|--------------|----------|
| Index | 5 |
|--------------|----------|

excel2prime_example *Get path to excel2prime example*

Description

excel2prime comes bundled with some example files in its 'inst/extdata' directory. This function make them easy to access.

Usage

```
excel2prime_example(path = NULL)
```

Arguments

path Name of file. If 'NULL', the example files will be listed.

Value

a character vector of paths to the example files.

Examples

```
excel2prime_example()
excel2prime_example("basic.xlsx")
```

split_12 *Split sentence of the 1 * 2 experiment design*

Description

Split sentence of the 1 * 2 experiment design

Usage

```
split_12(path, col_names = TRUE)
```

Arguments

path Path to the file
col_names column names contains the experiment sentences

Value

This function is for the experiment design of only one main factor that has two factors. It will firstly automatically splits the sentences by space and then divide the sentences into two parts by the character "/". The first part will be stored in the column of the return tibble named "con1" and the second part will be stored in the column named "con2".

Examples

```
split_12(excel2eprime_example("12.xlsx"), "A")
```

`split_22`*Split sentence of the 2 * 2 experiment design*

Description

Split sentence of the 2 * 2 experiment design

Usage

```
split_22(path, col_names = TRUE)
```

Arguments

| | |
|------------------------|--|
| <code>path</code> | Path to the file |
| <code>col_names</code> | column names contains the experiment sentences |

Value

This function is for the experiment design of two main factors that has two factors each. It will firstly automatically splits the sentences by space and then divide the sentences into four parts by the character "/". The first part will be stored in the column of the return tibble named "con1" and the second part will be stored in the column named "con2", etc...

Examples

```
split_22(excel2eprime_example("22.xlsx"), "A")
```

`split_222`*Split sentence of the 2 * 2 * 2 experiment design*

Description

Split sentence of the 2 * 2 * 2 experiment design

Usage

```
split_222(path, col_names = TRUE)
```

Arguments

| | |
|------------------------|--|
| <code>path</code> | Path to the file |
| <code>col_names</code> | column names contains the experiment sentences |

Value

This function is for the experiment design of three main factors that has two factors each. It will firstly automatically splits the sentences by space and then divide the sentences into eight parts by the character "/". The first part will be stored in the column of the return tibble named "con1" and the second part will be stored in the column named "con2", etc...

Examples

```
split_222(excel2eprime_example("222.xlsx"), "A")
```

| | |
|-------------|---|
| split_basic | <i>Split the basic sentence without "/"</i> |
|-------------|---|

Description

Split the basic sentence without "/"

Usage

```
split_basic(path, col_names = TRUE)
```

Arguments

| | |
|-----------|--|
| path | Path to the file |
| col_names | column names contains the experiment sentences |

Value

This function simply returns the tibble that only splits the sentences by space.

Examples

```
split_basic(excel2eprime_example("basic.xlsx"), "A")
```

Index

excel2prime_example, [2](#)

split_12, [2](#)

split_22, [3](#)

split_222, [3](#)

split_basic, [4](#)